

## Alpha-Linolenic Acid (ALA)

- Overview
  - Uses
  - Dietary Sources
  - Available Forms
  - How to Take It
  - Precautions
  - Possible Interactions
  - Supporting Research
- 

### Overview

Alpha-linolenic acid, or ALA, is an essential fatty acid, which means that it is essential to human health but cannot be manufactured by the body. For this reason, ALA must be obtained from food. ALA, as well as the fatty acids eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA), belongs to a group of fatty acids called omega-3 fatty acids. EPA and DHA are found primarily in fish while ALA is highly concentrated in certain plant oils such as flaxseed oil and to a lesser extent, canola, soy, perilla, and walnut oils. ALA is also found in wild plants such as purslane. Once ingested, the body converts ALA to EPA and DHA, the two types of omega-3 fatty acids more readily used by the body.

It is important to maintain an appropriate balance of omega-3 and omega-6 (another essential fatty acid) in the diet as these two substances work together to promote health. These essential fats are both examples of polyunsaturated fatty acids, or PUFAs. Omega-3 fatty acids help reduce inflammation and most omega-6 fatty acids tend to promote inflammation. An inappropriate balance of these essential fatty acids contributes to the development of disease while a proper balance helps maintain and even improve health. A healthy diet should consist of roughly two to four times more omega-6 fatty acids than omega-3 fatty acids. The typical American diet tends to contain 11 to 30 times more omega-6 fatty acids than omega-3 fatty acids and many researchers believe this imbalance is a significant factor in the rising rate of inflammatory disorders in the United States.

Omega-3 fatty acids have been shown to reduce inflammation and help prevent certain chronic diseases such as heart disease and arthritis. These essential fatty acids are highly concentrated in the brain and appear to be particularly important for cognitive and behavioral function as well as normal growth and development.

## Gamma-Linolenic Acid (GLA)

- 🕒 Overview
  - 🕒 Uses
  - 🕒 Dietary Sources
  - 🕒 Available Forms
  - 🕒 How to Take It
  - 🕒 Precautions
  - 🕒 Possible Interactions
  - 🕒 Supporting Research
- 

### Overview

Gamma-linolenic acid (GLA) is an essential fatty acid (EFA) in the omega-6 family that is found primarily in plant-based oils. EFAs are essential to human health but cannot be made in the body. For this reason, they must be obtained from food. EFAs are needed for normal brain function, growth and development, bone health, stimulation of skin and hair growth, regulation of metabolism, and maintenance of reproductive processes.

Linoleic acid (LA), another omega-6 fatty acid, is found in cooking oils and processed foods and converted to GLA in the body. GLA is then broken down to arachidonic acid (AA) and/or another substance called dihomogamma-linolenic acid (DGLA). AA can also be consumed directly from meat, and GLA is available directly from evening primrose oil (EPO), black currant seed oil, and borage oil. Most of these oils also contain some linoleic acid.

The average North American diet provides more than 10 times the necessary amount of linoleic acid and tends to have too much omega-6 fatty acids compared to omega-3 fatty acids, another important class of EFAs. In fact, for optimum health, the ratio of omega-6 to omega-3 fatty acids should be between 1:1 and 4:1. The typical North American and Israeli diets are usually in the range of 11:1 to 30:1. This imbalance contributes to the development of long-term diseases such as heart disease, cancer, asthma, arthritis, and depression as well as, possibly, increased risk of infection.

Interestingly, not all omega-6 fatty acids behave the same. Linoleic acid (not to be confused with alpha-linolenic acid, which is in the omega-3 family) and arachidonic acid (AA) tend to be unhealthy because they promote inflammation, thereby increasing the risk of the diseases mentioned when consumed in excess. In contrast, GLA may actually reduce inflammation.

Much of the GLA taken from the oils mentioned or as a supplement is not converted to AA, but rather to DGLA. DGLA competes with AA and prevents the negative inflammatory effects that AA would otherwise cause in the body. Having adequate amounts of certain nutrients in the body (including magnesium, zinc, and vitamins C, B3, and B6) helps to promote the conversion of GLA to DGLA rather than AA.

It is important to know that many experts feel that the science supporting the use of omega-3 fatty acids to reduce inflammation and prevent diseases is much stronger than the information regarding use of GLA for these purposes. Two important, and most studied, omega-3 fatty acids include eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA), both found in fish and fish oils.

Welcome to STN International! Enter x:x

LOGINID:sssptal600rxa

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Apr 08	"Ask CAS" for self-help around the clock
NEWS	3	Apr 09	BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS	4	Apr 09	ZDB will be removed from STN
NEWS	5	Apr 19	US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS	6	Apr 22	Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS	7	Apr 22	BIOSIS Gene Names now available in TOXCENTER
NEWS	8	Apr 22	Federal Research in Progress (FEDRIP) now available
NEWS	9	Jun 03	New e-mail delivery for search results now available
NEWS	10	Jun 10	MEDLINE Reload
NEWS	11	Jun 10	PCTFULL has been reloaded
NEWS	12	Jul 02	FOREGE no longer contains STANDARDS file segment
NEWS	13	Jul 22	USAN to be reloaded July 28, 2002; saved answer sets no longer valid
NEWS	14	Jul 29	Enhanced polymer searching in REGISTRY
NEWS	15	Jul 30	NETFIRST to be removed from STN
NEWS	16	Aug 08	CANCERLIT reload
NEWS	17	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS	18	Aug 08	NTIS has been reloaded and enhanced
NEWS	19	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS	20	Aug 19	IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS	21	Aug 19	The MEDLINE file segment of TOXCENTER has been reloaded
NEWS	22	Aug 26	Sequence searching in REGISTRY enhanced
NEWS	23	Sep 03	JAPIO has been reloaded and enhanced
NEWS	24	Sep 16	Experimental properties added to the REGISTRY file
NEWS	25	Sep 16	Indexing added to some pre-1967 records in CA/CAPLUS
NEWS	26	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS EXPRESS	February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002		
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS INTER	General Internet Information		
NEWS LOGIN	Welcome Banner and News Items		
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN		
NEWS WWW	CAS World Wide Web Site (general information)		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 10:19:37 ON 24 SEP 2002

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE  
ENTRY

TOTAL  
SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 10:19:47 ON 24 SEP 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 22 SEP 2002 HIGHEST RN 453594-96-2

DICTIONARY FILE UPDATES: 22 SEP 2002 HIGHEST RN 453594-96-2

TSCA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP  
PROPERTIES for more information. See STNote 27, Searching Properties  
in the CAS Registry File, for complete details:  
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> s gamma linolenic acid

112206 GAMMA

1 GAMMAS

112206 GAMMA

(GAMMA OR GAMMAS)

122 LINOLENIC

5577000 ACID

7846 ACIDS

5582710 ACID

(ACID OR ACIDS)

L1 14 GAMMA LINOLENIC ACID

(GAMMA(W) LINOLENIC(W) ACID)

=> s alpha linolenic acid

2448315 ALPHA

10 ALPHAS

2448315 ALPHA

(ALPHA OR ALPHAS)

122 LINOLENIC

5577000 ACID

7846 ACIDS


5582710 ACID

(ACID OR ACIDS)  
L2 5 ALPHA LINOLENIC ACID  
(ALPHA(W) LINOLENIC (W) ACID)

=> d scan 11

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, methyl ester, (6Z,9Z,12Z)- (9CI)  
 MF C19 H32 O2

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):13

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, 1,2,3-propanetriyl ester,  
 (6Z,6'Z,6''Z,9Z,9'Z,9''Z,12Z,12'Z,12''Z)- (9CI)  
 MF C57 H92 O6

Double bond geometry as shown.




PAGE 1-B



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, zinc salt, (Z,Z,Z)- (9CI)  
 MF C18 H30 O2 . 1/2 Zn

Double bond geometry as shown.




● 1/2 Zn


L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, monoester with 1,2,3-propanetriol, (Z,Z,Z)-  
 (9CI)  
 MF C21 H36 O4  
 CI 105

CM 1

Double bond geometry as shown.




CM 2



L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 8,11,14-Eicosatrienoic acid, (8Z,11Z,14Z)- (9CI)  
 MF C20 H34 O2  
 CI COM


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 8,11,14-Eicosatrienoic acid, methyl ester, (8Z,11Z,14Z)- (9CI)  
 MF C21 H36 O2


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 11,14-Eicosadienoic acid, methyl ester, (11Z,14Z)- (9CI)  
 MF C21 H38 O2


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, sodium salt, (Z,Z,Z)- (9CI)  
 MF C18 H30 O2 . Na

Double bond geometry as shown.



● Na


L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, (Z,Z,Z)-, mixt. with sulfur (9CI)  
 MF C18 H30 O2 . S  
 CI MXS

CH 1

S


CH 2

Double bond geometry as shown.



L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 8,11,13-Eicosatrienoic acid, 15-hydroxy-, (8Z,11Z,13E)- (9CI)  
 MF C20 H34 O3


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, ethyl ester, (6Z,9Z,12Z)- (9CI)  
 MF C20 H34 O2  
 CI COM


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 8,11,14-Eicosatrienoic acid, sodium salt, (Z,Z,Z)- (9CI)  
 MF C20 H34 O2 . Na

Double bond geometry as shown.




● Na



L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN Vincalukoblastine, 22-oxo-, mixt. with (Z,Z,Z)-6,9,12-octadecatrienoic  
 acid (9CI)  
 MF C46 H56 N4 O10 . C18 H30 O2  
 CI MXS


CH 1

Double bond geometry as shown.




CH 2

Absolute stereochemistry.



L1 14 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 6,9,12-Octadecatrienoic acid, (6Z,9Z,12Z)- (9CI)  
 MF C18 H30 O2  
 CI COM

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

=> d scan 12

L2 5 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 11,14,17-Eicosatrienoic acid, (11Z,14Z,17Z)- (9CI)  
 MF C20 H34 O2  
 CI COM

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):4 •

L2 5 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 9,12,15-Octadecatrienoic acid, sodium salt, (9Z,12Z,15Z)- (9CI)  
 MF C18 H30 O2 . Na


Double bond geometry as shown.



• Na

L2 5 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 9,12,15-Octadecatrienoic acid, methyl ester, (9Z,12Z,15Z)- (9CI)  
 MF C19 H32 O2  
 CI COM


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 5 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 9,12,15-Octadecatrienoic acid, zinc salt, (Z,Z,Z)- (9CI)  
 MF C18 H30 O2 . 1/2 Zn


Double bond geometry as shown.



• 1/2 Zn

L2 5 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 9,12,15-Octadecatrienoic acid, (9Z,12Z,15Z)- (9CI)  
MF C18 H30 O2  
CI COM

Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

=> log y

COST IN U.S. DOLLARS

SINCE FILE

ENTRY

TOTAL

SESSION

FULL ESTIMATED COST

24.38

24.59

STN INTERNATIONAL LOGOFF AT 10:20:37 ON 24 SEP 2002